

Safety Data Sheet dated 24/2/2023, version 5.0 This version cancels and substitutes any previous version

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification: Trade name:

NO-ACID ULTRA

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:
AC/R acid neutralizer
1.3. Details of the supplier of the safety data sheet
 Company:
 ERRECOM SPA
 Via Industriale, 14
 Corzano (BS) Italy
 Tel. +39 030/9719096
Competent person responsible for the safety data sheet:
 lab@errecom.it

1.4. Emergency telephone number

+39 02-6610-1029 Poison Control Center Niguarda Ca' Granda - Milano - ITALY

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP)



Warning, Skin Irrit. 2, Causes skin irritation.

Warning, Eye Irrit. 2, Causes serious eye irritation.

Warning, Skin Sens. 1B, May cause an allergic skin reaction.

Warning, Muta. 2, Suspected of causing genetic defects.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements Hazard pictograms:



Warning Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. H412 Harmful to aquatic life with long lasting effects.

NO-ACID ULTRA/5.0 Page n. 1 of 11



Precautionary statements: P280 Wear protective gloves and eye/face protection.

Special Provisions:

None

Contains

2,3-epoxypropyl neodecanoate

3-methoxypropylamine

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numbe	ər	Classification
>= 12.5% - < 15%	2,3-epoxypropyl neodecanoate	EC: REACH No.:	26761-45-5 247-979-2 01-21194315 97-33-XXXX	 3.4.2/1 Skin Sens. 1 H317 3.5/2 Muta. 2 H341 4.1/C2 Aquatic Chronic 2 H411
>= 1% - < 3%	3-methoxypropylamine	EC: REACH No.:	5332-73-0 226-241-3 01-21199722 98-23-XXXX	 2.6/3 Flam. Liq. 3 H226 3.1/4/Oral Acute Tox. 4 H302 3.4.2/1B Skin Sens. 1B H317 3.2/1A Skin Corr. 1A H314
>= 0.01% - < 0.05%	sodium hydroxide	number: CAS: EC: REACH No.:	011-002-00-6 1310-73-2 215-185-5 01-21194578 92-27-XXXX	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. After contact with skin, wash immediately with soap and plenty of water.

NO-ACID ULTRA/5.0 Page n. 2 of 11



Wash contaminated clothing before using them.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed No information available.

 4.3. Indication of any immediate medical attention and special treatment needed In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

Treat symptomatically.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:

Water spray jet, alcohol resistant foam, extinguishing powder, carbon dioxide. Extinguishing media which must not be used for safety reasons: None in particular.

- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

- Wash with plenty of water.
- 6.4. Reference to other sections
- See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

NO-ACID ULTRA/5.0 Page n. 3 of 11



Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Advice on general occupational hygiene: Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed. To maintain product quality, do not store in heat or direct sunlight. Keep in a dry, cool and well-ventilated place. Store between + 10 ° C / + 50 ° F and + 25 ° C / + 77 ° F. Keep away from food, drink and feed.

Incompatible materials: See subsection 10.5 Instructions as regards storage premises: Adequately ventilated premises.

7.3. Specific end use(s) Information not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters	
sodium hydroxide - CAS: 1310-73-2	
ACGIH - STEL: Ceiling 2 mg/m3 - Notes: URT, eye, and skin irr	
DNEL Exposure Limit Values	
2,3-epoxypropyl neodecanoate - CAS: 26761-45-5	
Worker Professional: 4.2 mg/kg - Consumer: 2.5 mg/kg - Exposure: Humar	n Dermal -
Frequency: Long Term, systemic effects	a Inhalation
Worker Professional: 5.88 mg/m ³ - Consumer: 4 mg/m ³ - Exposure: Humar Frequency: Long Term, systemic effects	
Consumer: 2.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, sy effects	ystemic
3-methoxypropylamine - CAS: 5332-73-0	
Worker Professional: 3.52 mg/m ³ - Consumer: 0.87 mg/m ³ - Exposure: Hur	man
Inhalation - Frequency: Long Term, systemic effects	nan
Worker Professional: 1 mg/kg - Consumer: 0.5 mg/kg - Exposure: Human I	Dermal -
Frequency: Long Term, systemic effects	
sodium hydroxide - CAS: 1310-73-2	
Worker Professional: 1 mg/m ³ - Consumer: 1 mg/m ³ - Exposure: Human In	halation -
Frequency: Long Term, local effects	
PNEC Exposure Limit Values	
2,3-epoxypropyl neodecanoate - CAS: 26761-45-5	
Target: Fresh Water - Value: 0.0035 mg/L	
Target: Marine water - Value: 0.35 μg/L	
Target: Microorganisms in sewage treatments - Value: 50 mg/L	
Target: Occasional emission - Value: 0.035 mg/L	
3-methoxypropylamine - CAS: 5332-73-0	
Target: Fresh Water - Value: 0.044 mg/L	
Target: Marine water - Value: 0.0044 mg/L	
Target: Occasional emission - Value: 0.44 mg/L	
Target: Microorganisms in sewage treatments - Value: 83.3 mg/L	
Target: Freshwater sediments - Value: 0.273 mg/kg	
Target: Marine water sediments - Value: 0.0273 mg/kg	
Target: Soil (agricultural) - Value: 0.0287 mg/kg	

NO-ACID ULTRA/5.0 Page n. 4 of 11



8.2. Exposure controls Eye protection: Use close safety visors, don't use eye lens. Protection for skin: Not needed for normal use. Protection for hands: work gloves resistant to penetration (ref. standard EN 374). Suitable material: NBR (nitrile rubber). Material thickness: 0.4 mm minimum. Break through time : > 480 min Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None


SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid		
Colour:	Colourless		
Odour:	characteristic		
Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	N.A.		
Flammability:	N.A.		
Lower and upper explosion limit:	N.A.		
Flash point:	>61 ° C		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
pH:	N.A.		
Kinematic viscosity:	> 20,5 mm2/sec (40 °C)		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient n-octanol/water (log value):	N.A.		
Vapour pressure:	N.A.		
Density and/or relative density:	0.9 g/mL (+20°C/+68°F)		
Relative vapour density:	N.A.		



Particle size:	N.A.			
9.2. Other information	n			
No other releva				
CTION 10: Stability a	nd reactivity			
10.1. Reactivity	ind rouotivity			
	ormal conditions			
10.2. Chemical stabil	ity			
Stable under n	ormal conditions			
10.3. Possibility of ha	zardous reaction	S		
None				
10.4. Conditions to a				
No data availa				
10.5. Incompatible m Strong oxidizin				
10.6. Hazardous dec		cts		
No data availa				
TION 11: Toxicolog				0/0000
			gulation (EC) No 127	2/2008
Toxicological informa		CT:		
a) acute toxicit Not clas	•			
		the classification	on criteria are not met	
b) skin corrosi				
	duct is classified:	Skin Irrit. 2 H3	15	
	damage/irritation			
The pro	duct is classified:	Eye Irrit. 2 H3	19	
	or skin sensitisatio			
	duct is classified:	Skin Sens. 1B	H317	
e) germ cell m	duct is classified:			
f) carcinogenic		iviula. 2 1134 i		
Not clas				
		the classification	on criteria are not met	
g) reproductive				
Not clas	sified			
		the classification	on criteria are not met	•
h) STOT-single				
Not clas		the elecsificati	na aritaria ara naturat	
		the classification	on criteria are not met	
i) STOT-repea Not clas				
		the classification	on criteria are not met	
j) aspiration ha				
Not clas				
		the classification	on criteria are not met	í.
Toxicological informa				
	yl neodecanoate	- CAS: 26761-	45-5	
a) acute toxicit			> 9700 mg/kg	



No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. The product is classified: Aquatic Chronic 3 - H412

- 2,3-epoxypropyl neodecanoate
 - a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 9.6 mg/L - Duration h: 96

Endpoint: EC50 - Species: Daphnia 4.8 mg/L - Duration h: 48

Endpoint: EC50 - Species: Algae 3.5 mg/L - Duration h: 96

- 3-methoxypropylamine
 - a) Aquatic acute toxicity:

NO-ACID ULTRA/5.0 Page n. 7 of 11



Endpoint: LC50 - Species: Fish 146.6 mg/L - Duration h: 96 - Notes: Species: Leuciscus idus (DIN 38412 part 15, static) Endpoint: EC50 - Species: Daphnia 65 mg/L - Duration h: 48 - Notes: Species: Daphnia magna (OECD -guideline 202, part 1, static) Endpoint: EC50 - Species: Algae 44 mg/L - Duration h: 72 - Notes: Species: Algae (OECD -quideline 201, part 1, static) b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia 3.7 mg/L - Notes: Species: Daphnia magna The product has not been tested. The information derives from the structure of the substance. e) Plant toxicity: Endpoint: EC10 - Species: Algae 29 mg/L - Duration h: 72 - Notes: Species: Algae (OECD -guideline 201, part 1, static) f) Effects in sewage plants: Endpoint: EC10 - Species: Bacteria 83.3 mg/L - Duration h: 17 - Notes: Species: Pseudomonas putida (DIN 38412 part 8) sodium hydroxide a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish 189 mg/L - Duration h: 48 Endpoint: EC0 - Species: Daphnia = 40.4 mg/L - Duration h: 48 - Notes: Species: Ceriodaphnia dubia Endpoint: LC50 - Species: Fish 125 mg/L - Duration h: 96 - Notes: Species: Gambusia affinis Endpoint: LC50 - Species: Fish 45.4 mg/L - Duration h: 96 - Notes: Species Oncorhynchus mykiss c) Bacteria toxicity: Endpoint: EC50 - Species: Bacteria 22 mg/L - Duration h: 0.25 - Notes: Species: Photobacterium phosphoreum 12.2. Persistence and degradability 2,3-epoxypropyl neodecanoate - CAS: 26761-45-5 Biodegradability: Readily biodegradable - Test: OSCE 302 A - Duration: 22 - 36 d - %: 68 - Notes: +/-0.5 3-methoxypropylamine - CAS: 5332-73-0 Biodegradability: Not readily biodegradable - Test: OECD 301 C - Duration: 28 d - %: 3 Biodegradability: Not readily biodegradable - Test: OECD 301 C - Duration: 56 d - %: 57 - Notes: activated mud, domestic (increased biomass) 12.3. Bioaccumulative potential 2,3-epoxypropyl neodecanoate - CAS: 26761-45-5 Bioaccumulation: Very low bioaccumulative - Test: log Pow 2.6 3-methoxypropylamine - CAS: 5332-73-0 Bioaccumulation: Not bioaccumulative - Test: BCF - Bioconcentrantion factor -Duration: 42 d - Notes: Value: 2,7 - 3,6 Species: Cyprinus carpio Method: OECD 305 C 12.4. Mobility in soil 3-methoxypropylamine - CAS: 5332-73-0 Mobility in soil: Not mobile - Notes: The data refer to the substance in its ionic form. 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None 12.6. Endocrine disrupting properties No endocrine disruptor substances present in concentration >= 0.1%12.7. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods



Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number or ID number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
 - N.Á.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group

N.A.

- 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No
- 14.6. Special precautions for user N.A.
- 14.7. Maritime transport in bulk according to IMO instruments N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3** Restriction 40

Restrictions related to the substances contained:

NO-ACID ULTRA/5.0 Page n. 9 of 11



Restriction 75

Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

- H317 May cause an allergic skin reaction.
- H341 Suspected of causing genetic defects.
- H411 Toxic to aquatic life with long lasting effects.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H290 May be corrosive to metals.
- H318 Causes serious eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Muta. 2	3.5/2	Germ cell mutagenicity, Category 2
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1B, H317	Calculation method



Muta. 2, H341	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS: GefStoffVO:	European Inventory of Existing Commercial Chemical Substances. Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.